

HERITAGE INSTITUTE OF MEDICAL SCIENCES VARANASI**NOTICE OF TENDER**

HIMS /Project/TENDER-1-(2022)-----“F”

Refer Annexure “A” for Details

1	NAME OF WORKS	Construction of one set Tennis court as per relevant standards
2	Estimated quantity	01 Set
3	Bid type	Single cover system
4	Period of completion	75 Days
5	Cost of tender documents	Nil
6	Website /Portal address	www.heritageims.com
7	Correspondence	heritageims1@gmail.com
8	Type of contract	Item rate contract
9	Information detail	
	a)Bid submission start date	15/09/2022
	b)Last date of bid submission	28/09/2022 till 12.00 Noon
	c)Date of bid opening	28/09/2022 at 3.30 PM
10	Eligibility criteria	Have executed similar civil work in recent years, submit list of works done as proof.
11	For all contractors	Contractor will not be allowed to execute the work by subletting or through power of attorney holder on his behalf to a third party/ another firm except son/ daughter of proprietor/ partner/ director and firm’s own employee, director, Project manager. This shall be subject to certain conditions which will be prescribed in the Notice Inviting Tender forming part of the tender documents.
	CRITICAL DATES	
12	Publishing date And time of tender documents	15/09/2022
13	Starting date and time of tender documents downloading	15/09/2022
14	Clarification start date & time	16/9/2022 between 3PM to 5PM
15	Clarification end date & time	26 /09/2022, 3:00PM
16	Pre-bid meeting date & time	NA
17	Bid documents download end date & time	26/09/2022 till 4.00 PM
18	Date and time of 'T' bid opening (Cover No 1)	NA
19	Date and time of 'Q' bid opening (Cover No 2)	NA
20	Tender issuing and Accepting Officer	Project Head HIMS Varanasi
21	Executing authority	Project Head HIMS Varanasi
22	Contact No	9140652771, 9602607273
23	Time Schedule	Two and half months after release of Initial advance
24	Notification, additional information, Change	Please be in touch with the web site for any UPDATE till date of opening.
25	Conditions of Contract	Refer Annexure “B” for Special and General conditions, provided separately
	Signature of Contractor	Project Head Vice Chairman HIMS, Varanasi

PM-II

PM

Project Head

HIMS /Project/TENDER-1-(2022)-----“F” -ANNEXURE “A”					
SI NO	Description of item	Unit	QTY	Rate	Amount
NAME OF WORK: Provision of Tennis court doubles for matches with following specification:-					
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, in soil all as directed by Engineer-in- Charge	Sqm	374.00		
2	Earth work in filling work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including supply royalty, getting out, loading, transportation up to any lead unloading at site and spreading the earth in layers not exceeding 20 CM in depth, consolidating each deposited layer by ramming and watering etc complete. all as directed by Engineer-in charge	Cum	400.00		
3	Supplying and filling in Ganga sand under floors, including watering, Ramming, consolidating and dressing complete.	Cum	40.00		
4	100 mm thick cement concrete 1:3:6 (1 Cement : 3 coarse sand : 6 aggregate (zone-III) derived from natural sources using aggregate 40 mm nominal size derived from natural sources	Cum	27.00		
5	40 mm thick cement concrete 1;1.5:3 (1 cement : 1.5 coarse sand:3 aggregate (zone-III) in panels using 40 mm wide, 6 mm thick asbestos cement dividing strip, surfaces finished smooth of cement concrete work in panels not more than 4'X4'.	Sqm	265.00		
6	Brick edging 7cm wide 11.4 cm deep to plinth protection with common burnt clay F.P.S. (no modular) bricks of class designation 75 including grouting with cement mortar 1:4 (1 cement : 4 fine sand)	RM	85.00		
7	Lining, Marking and all other inside finishes: As per standard specification of Tennis court, with epoxy paint of approved type, where required in lining and/ marking.	01 Job	01		
8	150 mm thick cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 aggregate (zone-III) derived from natural sources ,stone aggregate 40 mm nominal size derived from natural sources	Cum	17.00		
9	Providing 60 mm thick machine pressed precast concrete interlocking coloured paver block approved shape and size confirming to IS 15658- 2006	Sqm	115.00		
10	Providing GI chain link 4mm dia wire , fencing 2.4m high around tennis court, fixed with ms angle size 40 X 40 X 6mm, painted with one quote of red oxide and two coats of approved synthetic enamel paint. Angles are to be grouted atleast 600mm deep 400 X 400 foundation of 1:2:4 concrete.	RM	85.00		
11	Supply, fabricating, painting, fixing as per approved design lockable gate	Kg	100.00		
NOTE: - Rate for any other item other than what is listed above, will be derived w.r.to rate of DSR 2021 or from market rate.					

PM II

PM

Project Head

